

SHOES FOR CREWS®

THE ORIGINAL SLIP-RESISTANT FOOTWEAR SINCE 1984

OVER
100 SLIP-RESISTANT
STYLES TO CHOOSE
FROM!



NEW!

STYLE MEETS
COMFORT

WHITE OUTSOLE
LIBERTY/FREESTYLE II

Perfect for Front
of House
& QSR staff

what's NEW

Our newest **SLIP-RESISTANT** styles to keep you safe at work



FINN Brown M39936
LIMITED EDITION
See page 31



MAVI Red M39916
LIMITED EDITION
See page 14

SHOES FOR CREWS **NEW!** CE CERTIFIED STYLES



CATER II 40187 / 41439
See pages 8, 24



SALOON II 47808 / 43261
See pages 8, 24



STRETCH CREWGARD 67014
See page 19



NEW! QUICK SERVICE STYLES

WHITE OLD SCHOOL IV
38960/36320
We've updated our classic style!
See pages 9, 25



NEW! ATHLETIC SAFETY STYLE



ROCKET81 74811
See page 35



LIBERTY/FREESTYLE II
35353/32835
Now with on-trend white outsoles
See pages 5, 21



TABLE OF CONTENTS

WOMEN'S

- 4** ATHLETIC
- 7** CASUAL
- 11** DRESS
- 14** MOZO
- 16** SAFETY

MEN'S

- 20** ATHLETIC
- 23** CASUAL
- 27** DRESS
- 30** MOZO
- 32** SAFETY

MATS

17

ACCESSORIES

18-19



SLIP-PROOF ANY FLOOR!
Keep customers and employees safe
See our MightyMat® range on page 17

Look for our
CE CERTIFIED STYLES

Falcon II

EN ISO 20347:2012 (OB E SRC) • 350 grams [based on size 38]



● 26730 Black
2.5-9 (35-43)

○ 27041 White
3-8 (36-42)



- Superior SFC slip-resistant outsole with TripGuard
- Water resistant, leather upper
- Removable cushioned insole
- Regular fit

Spirit II

EN ISO 20347:2012 (OB E SRC) • 370 grams [based on size 38]

● 30531 Black
2.5-9 (35-43)



- Superior SFC slip-resistant outsole with TripGuard
- Microfibre upper
- Water resistant
- Removable cushioned insole
- Slim fit



CE CERTIFIED
STYLES



SLIP-PROOF ANY FLOOR!
Keep customers and employees safe
See our MightyMat® range on page 17

Triston

EN ISO 20347:2012 (OB E SRC) • 350 grams [based on size 38]

○ 2210 White
6-13 (39-48)



- Superior SFC slip-resistant outsole
- Water resistant
- Padded strap for comfortable fit
- Removable cushioned insole
- Regular fit



THE NUMBER 1 CHOICE FOR WAITRESSES
#1
 CHOICE

Liberty

275 grams [based on size 38]

- 37255 Black 2.5-9 (35-43)
- 35353 Black/White 2.5-8 (35-42)



- Superior SFC slip-resistant outsole with TripGuard
- Water resistant
- Removable cushioned insole
- Regular fit

**NEW
 WHITE
 OUTSOLE**



Vitality II

240 grams [based on size 38]

- 28362 Black 2.5-8 (35-42)
- 24759 Blue 2.5-8 (35-42)



- Superior SFC slip-resistant outsole with TripGuard
- Water resistant, breathable upper
- Lightweight
- Regular fit



Karina

230 grams [based on size 38]

- 36907 Black 2.5-9 (35-43)
- 32709 White 2.5-8 (35-42)



- Superior SFC slip-resistant outsole with TripGuard
- Water resistant
- Lightweight
- Regular fit





Avery

230 grams [based on size 38]

● 34545 Black
2.5-8 (35-42)



- Superior SFC slip-resistant outsole with TripGuard
- Water resistant
- Removable cushioned insole
- Lightweight
- Regular fit



TripGuard

Revolution II

317 grams [based on size 38]

● 29167 Black
2.5-8 (35-42)

○ 28093 White
2.5-8 (35-42)



- Superior SFC slip-resistant outsole with TripGuard
- Water resistant
- Removable cushioned insole
- Extra cushioning
- Regular fit



Extra Cushioning



Pearl

240 grams [based on size 38]

● 26819 Black
2.5-8 (35-42)



- Superior SFC slip-resistant outsole with TripGuard
- Water resistant, breathable upper
- Lightweight EVA midsole with extra cushioning
- Regular Fit



SLIP-RESISTANT



TRIPGUARD



WATER RESISTANT



SPILL GUARD



OB CERTIFIED

THE NUMBER 1 CHOICE FOR KITCHEN STAFF
#1
CHOICE



Zinc

EN ISO 20347:2012 (OB E SRC) • 271 grams [based on size 42]



● 66064 Black
3-14 (37-48)

○ 62138 White
3-13 (37-47)



- Superior SFC slip-resistant outsole with TripGuard
- Water resistant
- Ultra-lightweight
- Wide fit



Radium

EN ISO 20347:2012 (OB E SRC) • 278 grams [based on size 42]

● 69578 Black
3-13 (37-47)



- Superior SFC slip-resistant outsole with TripGuard
- Water resistant
- Ultra-lightweight
- Removable cushioned insole
- Wide fit



**ALL EVA CLOGS ARE
NOW CE CERTIFIED**

Bloodstone

EN ISO 20347:2012 (OB E SRC) • 391 grams [based on size 42]

● 66742 Black
6-14 (40-48)



- Superior SFC slip-resistant outsole with TripGuard
- Water resistant
- Ultra-lightweight
- Extra cushioning
- Removable cushioned insole
- Wide fit



Delray in Canvas or Leather - NEW!

409 grams [based on size 42 canvas]

● 39428 Black Canvas
2.5-9 (35-43)

● 32394 Black Leather
2.5-9 (35-43)



- Superior SFC slip-resistant outsole
- Water-resistant canvas upper
- Water-resistant Leather option
- Removable cushioned insole
- Regular fit



Ollie II

210 grams [based on size 38]

● 36106 Black
2.5-9 (35-43)



- Superior SFC slip-resistant outsole
- Water resistant
- Leather upper
- Removable cushioned insole
- Regular fit



Cater II - NEW!

EN ISO 20347:2012 (OB E SRC)

360 grams [based on size 38]

● 40187 Black
2.5-8 (35-42)



- Superior SFC slip-resistant outsole with TripGuard
- Water-resistant leather upper
- Removable cushioned insole
- Regular fit



Saloon II - NEW!

EN ISO 20347:2012 (OB E SRC)

364 grams [based on size 38]

● 47808 Black
2.5-8 (35-42)



- Superior SFC slip-resistant outsole with TripGuard
- Water-resistant leather upper
- Removable cushioned insole
- Regular fit



**CE CERTIFIED
STYLES**



SLIP-RESISTANT



SPILL GUARD



TRIPGUARD



WATER RESISTANT



OB CERTIFIED

Old School Low-Rider IV - NEW!

393 grams [based on size 42]

● 39362 Black
2.5-9 (35-43)

○ 36320 White
3-8 (36-42)



- Superior SFC slip-resistant outsole with TripGuard
- Water-resistant leather upper
- Removable insole
- Extra cushioning
- Regular fit

THE NUMBER 1 CHOICE FOR CREWS
#1 CHOICE



SLIP-PROOF ANY FLOOR!
Keep customers and employees safe
See our MightyMat® range on page 17

Pembroke - NEW!

517 grams [based on size 42]

● 37711 Black
3-12 (36-47)



- Superior SFC slip-resistant outsole
- Water-resistant leather upper
- Removable insole
- Regular fit



HOVER^{LTE}

COLLECTION BY
SHOES
FOR CREWS

Alia

EN ISO 20347:2012 (OB E SRC)
• 210 grams [based on size 38]

● 46831 Black
2.5-8 (35-42)



- Superior SFC slip-resistant outsole with TripGuard
- Water resistant leather upper
- Ultra-lightweight
- Regular fit



OUR LIGHTEST SLIP-RESISTANT STYLES

CE CERTIFIED
STYLES

Gigi

EN ISO 20347:2012 (OB E SRC) • 221 grams [based on size 38]

● 43103 Black
2.5-8 (35-42)



- Superior SFC slip-resistant outsole with TripGuard
- Water resistant leather upper
- Ultra-lightweight
- Regular fit



SLIP-RESISTANT



SPILL GUARD



TRIPGUARD



WATER RESISTANT



OB CERTIFIED



Elva

310 grams [based on size 38] • 5.7cm heel

● 52118 Black
2.5-8 (35-42)



- Superior SFC slip-resistant outsole with TripGuard
- Water resistant
- Removable cushioned insole
- Slim fit

Jenni

280 grams [based on size 38]

● 3616 Black
2.5-8 (35-42)



- Superior SFC slip-resistant outsole
- Water resistant leather upper
- Cushioned insole
- Regular fit



Extra Cushioning

Marla

245 grams [based on size 38] • 4.4cm heel

● 57487 Black
2.5-8 (35-42)



- Superior SFC slip-resistant outsole with TripGuard
- Water resistant leather upper
- Additional comfortable cushioning
- Removable cushioned insole
- Slim fit



Kora

270 grams [based on size 38] • 2.54cm heel

● 52152 Black
2.5-8 (35-42)



- Superior SFC slip-resistant outsole with TripGuard
- Water resistant leather upper
- Removable cushioned insole
- Slim fit



Madison III

EN ISO 20347:2012 (OB E SRC) • 248 grams [based on size 38] • 2.54 cm heel



● 57889 Black
2.5-8 (35-42)



- Superior SFC slip-resistant outsole with TripGuard
- Water resistant leather upper
- Removable cushioned insole
- Slim fit

CE CERTIFIED STYLES

Reese

EN ISO 20347:2012 (OB E SRC) • 241 grams [based on size 38]

● 57160 Black
2.5-8 (35-42)




- Superior SFC slip-resistant outsole with TripGuard
- Water resistant leather upper
- Removable cushioned insole
- Slim fit



Mary Jane II

EN ISO 20347:2012 (OB E SRC) • 310 grams [based on size 38]

● 3002 Black
2.5-9.5 (35-44)



- Superior SFC slip-resistant outsole
- Water resistant
- Leather upper
- Comfort fitting with adjustable strap fastener
- Wide fit

Willa

EN ISO 20347:2012 (OB E SRC) • 266 grams [based on size 38] • 3.8 cm heel

● 55452 Black
2.5-8 (35-42)



- Superior SFC slip-resistant outsole with TripGuard
- Water resistant leather upper
- Removable cushioned insole
- Slim fit



Envy III

EN ISO 20347:2012 (OB E SRC) • 245 grams [based on size 38] • 3.8 cm heel

● 52263 Black
2.5-8 (35-42)

● 52263W Black Wide
2.5-8 (35-42)

● 55861 Brown
2.5-8 (35-42)



- Superior SFC slip-resistant outsole with TripGuard
- Water resistant leather upper
- Removable cushioned insole
- Slim and wide fit available



**BLACK
AVAILABLE
IN WIDE FIT**





**STYLE,
PERFORMANCE &
SLIP-RESISTANCE**
PERFECT FOR ANY
CULINARY ENVIRONMENT

Mavi **NEW COLOUR ADDED!**

EN ISO 20347:2012 [OB E SRC]*
346 grams [based on size 38]

- **M31174 Black**
2.5-9 (35-43)
- **M39916 Red**
***LIMITED EDITION NON-CERTIFIED**
4-8 (37-42)

- Superior slip-resistant traction by Shoes For Crews®
- Heel counter for support and stability
- Removable comfortable PU gel insole
- Elastic goring for a slip-on style
- Optional laces for a classic sneaker look
- Three-hole arch ventilation for breathability
- Water-resistant, full-grain leather upper





Maven

EN ISO 20347:2012 [OB E SRC]

335 grams [based on size 38]

● **M30390 Black**
2.5-9 (35-43)

- Superior slip-resistant traction by Shoes For Crews®
- 100% Vegan
- Removable comfortable PU gel insole
- Water-resistant, waxed canvas upper
- Elastic goring for a slip-on style
- Optional laces for a classic sneaker look
- Three-hole arch ventilation for breathability
- Easy to clean and treated with 3M Scotchgard™ Protector

CE CERTIFIED STYLES



Kai

EN ISO 20347:2012 [OB E SRC]

379 grams [based on size 38]

● **M34865 Black**
2.5-9 (35-43)

● **M36775 Taupe**
2.5-9 (35-43)

- Superior slip-resistant traction by Shoes For Crews®
- Padded collar
- Water resistant slip-on style
- Leather upper
- Wide fit



Forza

EN ISO 20347:2012 [OB E SRC]

350 grams [based on size 38]

● **M46112 Black**
2.5-9 (35-43)

- Superior slip-resistant traction by Shoes For Crews®
- Elastic goring for a secure, easy-slip-on style
- Removable comfortable PU gel insole
- Reinforced plastic in the toe box for added durability and protection
- Non-metallic shank for additional arch support and stability
- Water-resistant leather upper



WOMEN'S SAFETY

COVER MORE GROUND WITH LESS RISK

CE CERTIFIED STYLES

Bonnie

EN ISO 20345:2011 (S3) • 453 grams [based on size 38]

● 78393 Black
3-8 (36-42)



- Superior SFC slip-resistant outsole with TripGuard
- Waterproof microfibre upper
- Composite toe - 200 joules
- Removable cushioned insole
- Puncture and clog resistant
- Regular fit



THE NUMBER 1 CHOICE FOR MANAGERS
#1 CHOICE

Evie

EN ISO 20345:2011 (S1) • 395 grams [based on size 38]

● 75810 Black
3-8 (36-42)

○ 75001 White
3-8 (36-42)



- Superior SFC slip-resistant outsole with TripGuard
- Water resistant
- Composite toe - 200 joule
- Removable cushioned insole
- Clog resistant outsole
- Regular fit



FOR MORE SAFETY STYLES SEE PAGE 33-35

MIGHTYMAT!®

We have you covered

SLIP-PROOF ANY FLOOR!

When employees have both feet safely on the mat, they work faster and more efficiently. With MightyMat!® slip-resistant floor mats, any greasy, slippery walkway becomes a safe, high-traction surface.


Our patented slip-resistant base keeps mat in place



Drainage slots direct liquids away from surface



All-grit, high-traction, slip-resistant surface




Anti-fatigue nodules add cushioning



Cross section of cushioned anti-fatigue layer



Our patented slip-resistant base keeps mat in place




MIGHTYMAT CLASSIC

For high-traction and low-profile areas.

- All-grit upper with serrated edge for added durability
- Patented slip-resistant rubber base
- Fits under doorways
- Dimensions 91.44 cm x 152.4 cm
- Thickness 6.5 mm

STYLE: 20




MIGHTYMAT MAX II

The ultimate in anti-fatigue and slip resistance.

- Patented slip-resistant rubber base and grid pattern
- Anti-fatigue cushion provides all-day comfort
- Rubberised diamond plate pattern
- Dimensions 91.44 cm x 121.92 cm
- Thickness 14.8 mm

STYLE: 40





THE SCIENCE OF KEEPING SKIN DRY

MOISTURE IS THE ENEMY. Drymax® socks feature an anti-blister system: exceptional 3D fit; seamless insides; instep-hugging arch band; dry skin because Drymax® socks stay dry.

STAY DRY. STAY SAFE. Drymax® socks have top and/or bottom air vents, use dense padding for comfort and are infused with antimicrobial fibers to fight odour.



SFC Crew Sock

Unisex: S1810 Black

S, M, L, XL

- Dual layer breathable mesh
- Anti-slip wedge
- Vented arch band
- 1 pair per package: only black



SFC No-Show Sock

Unisex: S1297 Black

S, M, L, XL

- Dual layer breathable mesh
- Anti-slip wedge
- Vented arch band
- 1 pair per package: only black



SLIP-PROOF ANY FLOOR!

Keep customers and employees safe
See our MightyMat® range on page 17

SFC Comfort Insole

N3411 Unisex: Blue
4-15 (37-48)



SFC Comfort Insole with Gel

N2114 Unisex: Blue
4-13 (37-48)



Gel pads in heel and forefoot for increased cushioning and shock absorption



Crewguard® for Men and Women

SFC MightyGrip® Slip-resistant Outsole
Provides Maximum Slip & Fall Protection

CrewGuard® Sizes	XXS	XS	S	S+	M	M+	L	XL	XXL
STYLE 53: Men's	-	35-37	37-38	39-41	41-42	43-44	44-45	46-48	49-51
STYLE 53: Women's	32-34	35-38	38-39	40-42	42-43	44-45	-	-	-
STYLE 67014 Men/Women	-	-	34-37	-	38-41	-	42-45	46-48	-

Stretch Crewguard® - NEW!

EN ISO 20347:2012
STYLE: 67014



Safety Crewguard®

EN ISO 20345:2011
STYLE: 53



CE CERTIFIED STYLES

Ideal for visitors, new hires or any employee not already wearing our top rated slip resistant footwear

Condor

EN ISO 20347:2012 (OB E SRC) • 465 grams [based on size 42]



● 28777 Black
5-13 (38-48)

○ 29166 White
5-12 (38-47)



- Superior SFC slip-resistant outsole with TripGuard
- Water resistant, leather upper
- Removable cushioned insole
- Regular fit

Nitro II

EN ISO 20347:2012 (OB E SRC) • 350 grams [based on size 42]

● 36097 Black
6-12 (39-47)



- Superior SFC slip-resistant outsole with TripGuard
- Microfibre upper
- Water resistant
- Removable cushioned insole
- Slim fit

**CE CERTIFIED
STYLES**



Triston

EN ISO 20347:2012 (OB E SRC) • 425 grams [based on size 42]

○ 2210 White
6-13 (39-48)



- Superior SFC slip-resistant outsole
- Water resistant
- Padded strap for comfortable fit
- Removable cushioned insole
- Regular fit



THE NUMBER 1 CHOICE FOR WAITERS
#1 CHOICE



Freestyle II

345 grams [based on size 42]

● 38140 Black
5-13 (38-48)

● 32835 Black/White
5-13 (38-48)



- Superior SFC slip-resistant outsole with TripGuard
- Water resistant
- Removable cushioned insole
- Regular fit

**NEW
WHITE
OUTSOLE**

Endurance II

285 grams [based on size 42]

● 22782 Black
6-15 (39-50)



- Superior SFC slip-resistant outsole with TripGuard
- Water resistant, breathable upper
- Lightweight
- Regular fit



TripGuard



Grayson

250 grams [based on size 42]

● 36479 Black
5-13 (38-48)



- Superior SFC slip-resistant outsole with TripGuard
- Water resistant
- Lightweight
- Removable cushioned insole
- Regular fit





Wes

230 grams [based on size 42]

● 39204 Black
5-12 (38-47)



- Superior SFC slip-resistant outsole with TripGuard
- Water resistant
- Removable cushioned insole
- Lightweight
- Regular fit

Evolution II

390 grams [based on size 42]



● 21211 Black
5-15 (38-50)

○ 28289 White
5-14 (38-49)



- Superior SFC slip-resistant outsole with TripGuard
- Water resistant
- Removable cushioned insole
- Extra cushioning
- Regular fit



Extra Cushioning



Bridgetown

295 grams [based on size 42]

● 28740 Black
5-13 (38-48)

● 24320 Grey/Citrus **LIMITED EDITION**
5-11 (38-46)



- Superior SFC slip-resistant outsole with TripGuard
- Water resistant, breathable upper
- Lightweight EVA midsole with extra cushioning
- Regular Fit



SLIP-RESISTANT



TRIPGUARD



WATER RESISTANT



SPILL GUARD



OB CERTIFIED

THE NUMBER 1 CHOICE FOR KITCHEN STAFF
#1 CHOICE



Zinc

EN ISO 20347:2012 (OB E SRC) • 271 grams [based on size 42]



● 66064 Black
3-14 (37-48)

○ 62138 White
3-13 (37-47)



- Superior SFC slip-resistant outsole with TripGuard
- Water resistant
- Ultra-lightweight
- Wide fit



Radium

EN ISO 20347:2012 (OB E SRC) • 278 grams [based on size 42]

● 69578 Black
3-13 (37-47)



- Superior SFC slip-resistant outsole with TripGuard
- Water resistant
- Ultra-lightweight
- Removable cushioned insole
- Wide fit



ALL EVA CLOGS ARE
NOW CE CERTIFIED

Bloodstone

EN ISO 20347:2012 (OB E SRC) • 391 grams [based on size 42]

● 66742 Black
6-14 (40-48)



- Superior SFC slip-resistant outsole with TripGuard
- Water resistant
- Ultra-lightweight
- Extra cushioning
- Removable cushioned insole
- Wide fit



Delray in Canvas or Leather - NEW!

409 grams [based on size 42 Canvas]

- 38852 Black Canvas 5-12 (38-47)
- 38649 Black Leather 5-12 (38-47)



- Superior SFC slip-resistant outsole
- Water-resistant canvas upper
- Water-resistant Leather option
- Removable cushioned insole
- Regular fit



Ollie II

210 grams [based on size 42]

- 34257 Black 5-12 (38-47)



- Superior SFC slip-resistant outsole
- Water resistant
- Leather upper
- Removable cushioned insole
- Regular fit



Cater II - NEW!

EN ISO 20347:2012 (OB E SRC)

426 grams [based on size 42]

- 41439 Black 5-15 (38-50)



- Superior SFC slip-resistant outsole with TripGuard
- Water-resistant leather upper
- Removable cushioned insole
- Regular fit



Saloon II - NEW!

EN ISO 20347:2012 (OB E SRC)

451 grams [based on size 42]

- 43261 Black 5-15 (38-50)



- Superior SFC slip-resistant outsole with TripGuard
- Water-resistant leather upper
- Removable cushioned insole
- Regular fit



**CE CERTIFIED
STYLES**

Old School Low-Rider IV - NEW!

393 grams [based on size 42]

● 36111 Black
5-12 (38-47)

○ 38960 White
6-12 (39-47)



- Superior SFC slip-resistant outsole with TripGuard
- Water-resistant leather upper
- Removable insole
- Extra cushioning
- Regular fit

THE NUMBER 1 CHOICE FOR CREWS
#1
CHOICE



Pembroke - NEW!

517 grams [based on size 42]

● 37711 Black
3-12 (36-47)



- Superior SFC slip-resistant outsole
- Water-resistant leather upper
- Removable insole
- Regular fit



HOVER^{LTE}

COLLECTION BY
SHOES
FOR CREWS

Arden

EN ISO 20347:2012 (OB E SRC)

• 273 grams [based on size 42]

● 46165 Black
6-12 (39-47)



- Superior SFC slip-resistant outsole with TripGuard
- Water resistant leather upper
- Ultra-lightweight
- Extra cushioning
- Regular fit



OUR LIGHTEST SLIP-RESISTANT STYLES

CE CERTIFIED
STYLES

Atticus

EN ISO 20347:2012 (OB E SRC) • 286 grams [based on size 42]

● 49504 Black
6-12 (39-47)



- Superior SFC slip-resistant outsole with TripGuard
- Water resistant leather upper
- Ultra-lightweight
- Extra cushioning
- Regular fit



Venice

460 grams [based on size 42]

● **1207 Black**
6-12 (39-47)

● **1217 Brown**
6-12 (39-47)



- Superior SFC slip-resistant outsole
- Water resistant, leather upper
- Removable cushioned insole
- Slim fit



Senator

385 grams [based on size 42]

● **1201 Black**
6-12 (39-47)

● **1211 Brown**
6-12 (39-47)



- Superior SFC slip-resistant outsole
- Water resistant, leather upper
- Removable cushioned insole
- Regular fit



Statesman

345 grams [based on size 42]

● **1202 Black**
6-12 (39-47)



- Superior SFC slip-resistant outsole
- Water resistant, leather upper
- Removable cushioned insole
- Regular fit



**CE CERTIFIED
STYLES**

Cambridge II

EN ISO 20347:2012 (OB E SRC) • 360 grams [based on size 42]

● **2032 Black**
5-13.5 (38-49)



- Superior SFC slip-resistant outsole
- Water resistant, leather upper
- Removable cushioned insole
- Regular fit

THE NUMBER 1 CHOICE FOR MANAGERS
**#1
CHOICE**



Ambassador

EN ISO 20347:2012 (OB E SRC) • 350 grams [based on size 42]

● **2033 Black**
6-12 (39-47)



- Superior SFC slip-resistant outsole
- Water resistant, leather upper
- Removable cushioned insole
- Slim fit



SLIP-RESISTANT



TRIPGUARD



WATER RESISTANT



OB CERTIFIED

Aristocrat III

EN ISO 20347:2012 (OB E SRC) • 350 grams [based on size 42]

● 2031 Black
5-12 (38-47)



- Superior SFC slip-resistant outsole
- Water resistant, leather upper
- Removable cushioned insole
- Regular fit



Executive Wing Tip III

EN ISO 20347:2012 (OB E SRC) • 350 grams [based on size 42]

● 2030 Black
5-12 (38-47)



- Superior SFC slip-resistant outsole
- Water resistant, leather upper
- Removable cushioned insole
- Regular fit



**CE CERTIFIED
STYLES**

Dex

EN ISO 20347:2012 (OB E SRC) • 499 grams [based on size 42]

● 54747 Black
5-12 (38-47)



- Superior SFC slip-resistant outsole with TripGuard
- Water resistant, leather upper
- Removable cushioned insole
- Wide fit





STYLE, PERFORMANCE & SLIP-RESISTANCE

PERFECT FOR ANY
CULINARY ENVIRONMENT



Sharkz LIMITED EDITION

317 grams [based on size 42]

M43812 Black

6-12 (40-46)

- Superior slip-resistant traction by Shoes For Crews®
- Water-resistant synthetic upper
- Side ventilation for breathability
- Elastic goring for a secure and easy-to-slip-on design
- Removable comfort PU Gel insole



Skull LIMITED EDITION

317 grams [based on size 42]

M43821 Black

6-12 (40-46)

- Superior slip-resistant traction by Shoes For Crews®
- Water-resistant synthetic upper
- Side ventilation for breathability
- Elastic goring for a secure and easy-to-slip-on design
- Removable comfort PU Gel insole



Grind

EN ISO 20347:2012 [OB E SRC]

420 grams [based on size 42]

M31165 Black

6-12 (39-47)

- Superior slip-resistant traction by Shoes For Crews®
- 100% Vegan
- Removable comfort PU Gel insole
- Water-resistant, waxed canvas upper
- Elastic goring for a slip-on style
- Optional laces for a classic look
- Three-hole arch ventilation for breathability
- Easy to clean and treated with 3M Scotchgard™ Protector





THE NUMBER 1 CHOICE FOR CHEFS
#1
CHOICE



Finn **NEW COLOUR ADDED!**

EN ISO 20347:2012 [OB E SRC]*

448 grams [based on size 42]

● **M11057 Black**
6-12 (39-47)

● **M39936 Brown**
***LIMITED EDITION NON-CERTIFIED**
7-11 (41-46)

- Superior slip-resistant traction by Shoes For Crews®
- Heel counter for support and stability
- Removable comfort PU Gel insole
- Elastic goring for a slip-on style
- Optional laces for a classic sneaker look
- Three-hole arch ventilation for breathability
- Water-resistant, full-grain leather upper



Floyd

EN ISO 20347:2012 [OB E SRC]

445 grams [based on size 42]

● **M39082 Black**
6-12 (39-47)

● **M32573 Grey**
6-12 (39-47)

- Superior slip-resistant traction by Shoes For Crews®
- Padded collar
- Water resistant slip-on style
- Leather upper
- Wide fit



CE CERTIFIED STYLES

Forza

EN ISO 20347:2012 [OB E SRC]

350 grams [based on size 42]

● **M40970 Black**
6-12 (39-47)

- Superior slip-resistant traction by Shoes For Crews®
- Elastic goring for a secure, easy-slip-on style
- Removable comfortable PU gel insole
- Reinforced plastic in the toe box for added durability and protection
- Non-metallic shank for additional arch support and stability
- Water-resistant leather upper



MEN'S SAFETY

COVER MORE GROUND WITH LESS RISK



Clyde

EN ISO 20345:2011 (S3) • 510 grams [based on size 42]

● 73403 Black
5-12 (38-47)




- Superior SFC slip-resistant outsole with TripGuard
- Waterproof microfibre upper
- Composite toe - 200 joules
- Puncture and clog-resistant
- Removable cushioned insole
- Regular fit

Cambridge

EN ISO 20345:2011 (S2) • 525 grams [based on size 42]

● 5215 Black
5-13 (38-48)



- Superior SFC slip-resistant outsole
- Waterproof microfibre upper
- Steel toe - 200 joules
- Removable cushioned insole
- Regular fit



THE NUMBER 1 CHOICE FOR MANAGERS
#1 CHOICE

Executive Wing Tip

EN ISO 20345:2011 (S2) • 665 grams [based on size 42]

● 5218 Black
5-12 (38-47)



- Superior SFC slip-resistant outsole
- Waterproof leather upper
- Steel toe - 200 joules
- Removable cushioned insole
- Regular fit



Bastion

EN ISO 20345:2011 (S4) • 720 grams [based on size 42]

76690 White
4-12 (37-47)

70557 Green
4-12 (37-47)



- SRC slip-resistant PVC outsole
- Waterproof PVC upper
- Steel toe - 200 joules
- Regular fit

**CE CERTIFIED
STYLES**



THE NUMBER 1 CHOICE FOR BUTCHERS
**#1
CHOICE**

Sentinel PU

EN ISO 20345:2011 (S4) • 575 grams [based on size 42]

2010 White
4-11 (37-46)

2011 Green
4-11 (37-46)

2014 Yellow
4-11 (37-46)

2012 Blue
4-11 (37-46)

2013 Red
4-11 (37-46)



- Superior SFC slip-resistant outsole
- Waterproof PU upper
- Steel toe - 200 joules
- Removable cushioned insole
- Lightweight
- Regular fit

Guardian IV

EN ISO 20345:2011 (S4) • 840 grams [based on size 42]

2017 White
4-12 (37-47)

2018 Green
4-12 (37-47)



- Superior SFC slip-resistant outsole
- Waterproof PVC upper
- Steel toe - 200 joules
- Removable cushioned insole
- Regular fit



SAFETY JOGGER

TRACTION BY

**SHOES
FOR CREWS™**

The Safety Jogger range features High-Performance Traction by SHOES FOR CREWS

*Safety Jogger runs one size larger than SFC sizing. Regular fit.

Dolce81 / Gusto81

EN ISO 20345:2011 (S3)

691 grams [based on size 41]

76236 Black
2.5-13 (35-48)*

73695 White
2.5-13 (35-48)*



- Superior SFC slip-resistant outsole with TripGuard
- Waterproof coated leather upper
- Steel toe - 200 joules
- Puncture and clog resistant

THE NUMBER 1 CHOICE FOR CREWS
**#1
CHOICE**



Roma81 / Volluto81

EN ISO 20345:2011 (S3)

718 grams [based on size 41]

74785 Black
2.5-13 (35-48)*

74518 White
2.5-13 (35-48)*



- Superior SFC slip-resistant outsole with TripGuard
- Waterproof coated leather upper
- Steel toe - 200 joules
- Puncture and clog resistant



Lungo81

EN ISO 20345:2011 (S3)

725 grams [based on size 41]

75966 White
2.5-13 (35-48)*



- Superior SFC slip-resistant outsole with TripGuard
- Waterproof coated leather upper
- Steel toe - 200 joules
- Puncture and clog resistant



X111081

EN ISO 20345:2011 (S3)

693 grams [based on size 41]

74670 Black
3.5-13 (36-48)*



- Superior SFC slip-resistant outsole with TripGuard
- Waterproof coated leather upper
- Steel toe - 200 joules
- Puncture and clog resistant



SLIP-RESISTANT



WATERPROOF



PUNCTURE RESISTANT



STEEL TOE



COMPOSITE TOE



CE CERTIFIED



SLIP-PROOF ANY FLOOR!
Keep customers and employees safe
See our MightyMat® range on page 17

**CE CERTIFIED
STYLES**

Advance81

EN ISO 20345:2011 (S1P)
691 grams [based on size 41]

● 71056 Black
4-13 (37-48)*



- Superior SFC slip-resistant outsole with TripGuard
- Water resistant coated leather upper
- Steel toe - 200 joules
- Puncture and clog resistant



Elevate81

EN ISO 20345:2011 (S1P)
723 grams [based on size 41]

● 70482 Black
4-13 (37-48)*



- Superior SFC slip-resistant outsole with TripGuard
- Water resistant coated leather upper
- Steel toe - 200 joules
- Puncture and clog resistant



X1100N81

EN ISO 20345:2011 (S3)
729 grams [based on size 41]

● 73924 Black
3.5-13 (36-48)*



- Superior SFC slip-resistant outsole with TripGuard
- Waterproof coated leather upper
- Steel toe - 200 joules
- Puncture and clog resistant



Rocket81 - NEW!

EN ISO 20345:2011 (S1P)
558 grams [based on size 42]

● 74811 Black
5-13 (38-48)*



- Superior SFC slip-resistant outsole with TripGuard
- Water resistant coated leather upper
- Composite toe - 200 joules
- Puncture and clog resistant



SHOES FOR CREWS SRC RESULTS GREATLY EXCEED INDUSTRY STANDARDS



Slip Resistance Test EN ISO 13287:2012, performed by TUV Rheinland LGA Products GmbH in Leipzig, Germany during January 2017 * On a scale where 0.0 is the absence of friction and 1.0 is very high friction (e.g. dry carpet), SFC rated .63 – more than tripling the .18 minimum standard. All SFC shoes use the Shoes For Crews patented slip-resistant outsole. Product tested: Bridgetown 28740.

Distributør i Sverige og Norge

T E L L E F S E N

Preben Tellefsen AS

Tel: +47 38 01 90 80 Email: info@tellefsen.no

Web: www.tellefsen.no